OPS08 Specification



Overview

Decenta OPS08 is widely used in various scenarios such as education, conference IWB and digital signage.

- Intel[®] 9th/8th generation Core[™] processor.
- 2x DDR4 2400MHz SO-DIMM, Dual channel, Max.32G.
- Support Wi-Fi and Bluetooth.
- Support M.2 SSD, with SATA/PCIe mode.
- Support high resolution of HDMI[®] out, up to 4K@30Hz.
- Support for TPM encryption.*


I/O Overview





Specifications

Model			S19-CMLU-OPS08
CPU			Support 9 th /8 th Gen Intel [®] Core™ i7/i5/i3 Processor
			I3-8145U/8109U/10110U
			I5-8265U/8259U/10210U I7-8565U/8559U/10510U
	Туре		2x DDR4 SO-DIMM, Up to 2400MHz, Dual channel
Memory	Capacity		Max. 32G
Graphic			Intel [®] UHD Graphics
Network			WiFi 5/6 & BT 4.2
Storage	SSD/HDD		M.2 SATA/PCIe NVMe, optional 2.5" HDD
I/O	Front	LAN	1, 10/100/1000M Self-adaptive
		USB 3.0	2
		USB 2.0	2
		USB Type-C	1
		HDMI [®] Out	1, with HDMI [®] Out 1.4 of resolution of 4K@30Hz
		Headphone	1
		Mic In	1
		LED	2(Power_LED,HDD_LED)
		Power Button	1
		Antenna	2
		Kensingdon keyhole	1
	Rear	80Pin Connector	1
Environment	Temperature	Operating	0°C-45°C
		Storage	-20°C-70°C
	Humidity	Operating	10%~90% non-condensing
		Storage	5%~95% non-condensing
Factor	ТРМ		Optional
Feature	Intel [®] vPro		/
Noise Value			Below 34db
Power			DC 19V/5A
OS			Win 10
Bios			АМІ
Dimensions			180mm x 119mm x 30mm



*Specifications and information contained in this document are furnished for informational use only, and are subject to change at any time without notice, and should not be construed as a commitment by Decenta.