

OPS24 Specification




Overview

Decenta OPS24 is a standard OPS product, which is built with Intel® Lunar Lake platform. It is an unmatched AI OPS with high performance and low power. It is widely used in education, Interactive conference whiteboard, digital signage and other scenarios.

- Support Intel® Core™ Ultra Processor
- Support LPDDR5X 8533MT/s MoP, Dual channel, Max.32GB
- Excellent AI Performance with NPU 48TOPS and GPU 67TOPS
- Support Wi-Fi 7 and Bluetooth 5.4
- Support M.2 M-Key 2242/2280 SSD, Support PCIe 5.0 X4 mode
- Support 4K@60Hz HDMI® Out, including CEC function
- Rich interfaces with 4x USB 3.2 Gen 1, 1x USB Type-C(DP Alt & USB 3.2 Gen1 Date)
- Support TPM encryption technology


I/O Overview



Specifications

Model		S24-LNL-OPS24	
Processor		Intel® Core™ Ultra Processor, TDP 17W	
AI Performance	GPU	Up to 67 TOPS	
	NPU	Up to 48 TOPS	
Memory	Type	LPDDR5X 8533MT/s MoP, Dual channel	
	Capacity	Max.32GB	
Graphic	iGPU	Intel® Arc™ Graphics *	
	Connector	HDMI®	
Network	Ethernet	Controller	Intel® i219V, Colay with Realtek 8111H & Intel® i219LM
		Connector	1GbE RJ45
	Wi-Fi	1x M.2 E-Key 2230 Slot for Wi-Fi 7 & BT 5.4, Support PCIe 4.0 + USB 2.0 & CNVi Signal	
Audio	Controller	Realtek ALC233	
Storage	SSD	1x M.2 M-Key 2242/2280 Slot, Support PCIe 5.0 X4 Mode	
I/O	Front	LAN	1x RJ45
		USB 3.2	4x USB 3.2 Gen 1
		USB Type-C	1, Support DP Alt Mode & USB 3.2 Gen 1
		HDMI® Out	1, With resolution of 4K@60Hz, Support CEC
		Mic In/Headphone 2 in 1	1x 3.5mm Audio Jack
		LED	2 (Power_LED_Red; Power on: Solid Red, S4/S5: Off HDD_LED_Green; Not transmitting data: Off, Transmitting data: Blinking Green)
		Power Button	1
		Recovery button	1, Reserved
		Antenna	2
		Kensington® Keyhole	1
	Rear	80Pin Connector	1 (With HDMI® Out of 4K@60Hz)
		DC Jack	1, Reserved
	Internal	Fan Header	1x 5Pin header
	Cooling system		Active Cooling System
Environment	Temperature	Operating	0°C-45°C
		Non-operating	-20°C-70°C
	Humidity	Operating	10%~90% RH non-condensing
		Non-operating	5%~95% RH non-condensing
Feature	dTPM	V2.0	
Noise Value		Below 34dB@1m	
Power		DC 12-19V	
OS		Win 11	
Bios		Insyde	
Dimensions (Length x Width x Height)		119mm x 180mm x 30mm	
Remark		* Intel® Arc™ graphics only available on select Intel® Core™ Ultra processor-powered systems. Other system configurations feature Intel® Graphic.	

Dimensions (Unit: mm)



*Specifications and information contained in this document are furnished for informational use only, and are subject to change at any time without notice, and should not be construed as a commitment by Decenta.